

## **RISK ASSESSMENT**

### DESCRIPTION OF ACTIVITY / EQUIPMENT

#### **Bungee Run**

<b>HAZARD</b>	<b>EXISTING CONTROL MEASURES</b>	<b>HARM (1-5)</b>	<b>LIKELY HARM (1-5)</b>	<b>RISK (1-5)</b>	<b>FURTHER CONTROLS TO REDUCE RISK</b>	<b>RISK ACCEPTABLE Y/N</b>
Over enthusiastic participants	Responsible adult supervision at all times	1	2	1	ADULT SUPERVISION AT ALL TIMES	
Tripping over bungee cords and twanging effects	Responsible adult supervision at all times. Do not allow participants to be stretched along by 3 <sup>rd</sup> parties.	1	2	1	ADULT SUPERVISION AT ALL TIMES	
Overloading	Only two participants are permitted to use the inflatable at once	2	1	1	ADULT SUPERVISION AT ALL TIMES	
Injury due to lack of supervision	A fully trained operator must be present with the bungee run at all times. Do not enter the inflatable if staff are not present.	1	1	1	ADULT OPERATER MAKES FINAL DECISION	
Danger of unnecessary injury	Ensure that no one with a history of back or neck problems or who suffers from a heart complaint uses the Inflatable or anyone who is feeling unwell. Pregnant women may NOT use any equipment at anytime.	1	1	1	ADULT SUPERVISION AT ALL TIMES	
Risk of inflatable blowing away or tipping	On grass we anchor every anchor point with 16mm x 380mm steel anchor stakes. Sandbags may be used indoors.	4	1	1	Operator checks weather forecast leading up to the day. Supervisor on the day monitors weather conditions.	
Tripping on cables	Excess cable will be stowed at the back of the inflatable	1	1	1	Cables covering footpaths will be covered with rubber cable covers	

Risk of electrocution	All electricals are pat tested regularly.IP44 rated (waterproof) cables used outdoors.	1	1	1	All electricals are visually checked for damage upon set up and rcd's are used.	
<b>RISK ASSESSMENT CARRIED OUT BY:</b>			<b>DATE:</b>	<b>ANY OTHER ACTION REQU.:</b>		

**THE ABOVE INFORMATION IS BASED ON MAUFACTURERS  
CRITERIA AND EXPERIENCE FROM EXTENSIVE USE OF EQUIPMENT.**