

RISK ASSESSMENT

DESCRIPTION OF ACTIVITY / EQUIPMENT

Gladiator Duel

HAZARD	EXISTING CONTROL MEASURES	HARM (1-5)	LIKELY HOOB (1-5)	RISK (1-5)	FURTHER CONTROLS TO REDUCE RISK	RISK ACCEPTABLE Y/N
Users falling from podium during activity	Ensure inflatable bed is fully inflated and covers entire fall off area	1	2	1	ADULT SUPERVISION AT ALL TIMES	
Users getting hurt from blows by other participant	Ensure all users wear all safety equipment provided	1	2	1	ADULT SUPERVISION AT ALL TIMES	
Overloading	Only two participants are permitted to use the inflatable at once	2	1	1	ADULT SUPERVISION AT ALL TIMES	
Over enthusiastic participants	No person deemed to be under the influence of drugs or alcohol to use the inflatable.	1	1	1	ADULT OPERATER MAKES FINAL DECISION	
Danger of unnecessary injury	Ensure that no one with a history of back or neck problems or who suffers from a heart complaint uses the inflatable or anyone who is feeling unwell. Pregnant women may NOT use any equipment at anytime.	1	1	1	ADULT SUPERVISION AT ALL TIMES	
Risk of inflatable blowing away or tipping	On grass, we anchor every anchor point with 16mm x 380mm steel anchor stakes. Sandbags may be used indoors	4	1	1	Operator checks the weather forecast up to the day. Supervisor on the day monitors weather conditions and inflatables to be switched off if necessary.	
Risk of electrocution	All electricals are pat tested regularly. IP44 rated (waterproof) cables to be used outdoors.	1	1	1	All electricals are visually checked for damage up on set up and rcd's are used.	

Tripping on cables	Excess cable will be stowed at the back of the inflatable.	1	1	1	Cables covering footpaths will be covered with rubber cable covers.	
RISK ASSESSMENT CARRIED OUT BY:			DATE:	ANY OTHER ACTION REQU.:		

**THE ABOVE INFORMATION IS BASED ON MAUFACTURERS
CRITERIA AND EXPERIENCE FROM EXTENSIVE USE OF EQUIPMENT.**